






QUALITY &
PERFORMANCE
JOINED FOR EXCELLENCE

STAINLESS QUALITY AND GOLD PERFORMANCE

GLASS CATALOGUE



INDEX

BOVONE MACHINES TOOLING SET UPS		PG. 6 -39
OTHER BRANDS TOOLING SET-UPS		PG. 40 -43
ARRIS POLISHING WHEELS		PG. 44
ROUTERS		PG. 48-56
ARRISSING WHEELS		PG. 58
CNC WHEELS		PG. 60-73
CORE DRILLS		PG. 80-83

... new entries on pp.75 and 77...

QUALITY &
PERFORMANCE

bovonediamond.com





BOVONE MACHINES TOOLING SET-UPS

QUALITY &
PERFORMANCE

bovonediamond.com

BOVONE ELB10

STANDARD CONFIGURATION

POS		CODE	DESCRIPTION
1		BV10-1M	DIAMOND CUP WHEEL CC D.150 H.22 W7 Gr.100 Mesh
2		BV10-2M	DIAMOND CUP WHEEL CC D.150 H.22 W5 Gr.140 Mesh
3		BV10-3R	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.230 Mesh
4*		BV10-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
5		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50
6*		BV10-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
7		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50
8		BV10-4R	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.325 Mesh
9		BV10-5RCS	RESIN CUP WHEEL CS D.150 H.22 W15 Gr.700 Mesh
10		BVFELT170S	FELT 170x27x70

*From April 2018 positions 4 and 6 have been replaced by **BV14-SMRDLB15**:
DIAMOND RESIN CUP WHEEL ARRIS CC 130x22 F 15X10 DL type 325 MESH GRIT

QUALITY &
PERFORMANCE

bovonediamond.com

BOVONE ELB10

TOOLS FOR 3-12MM GLASS

POS		CODE	DESCRIPTION
1		BV10-1MF	DIAMOND CUP WHEEL CC D.150 H.22 W7 Gr.120 Mesh
2		BV10-2MF	DIAMOND CUP WHEEL CC D.150 H.22 W7 Gr.200 Mesh
3		BV10-3R	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.230 Mesh
4*		BV10-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
5		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50
6*		BV10-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
7		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50
8		BV10-4R	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.325 Mesh
9		BV10-5RCS	RESIN CUP WHEEL CS D.150 H.22 W15 Gr.700 Mesh
10		BVFELT170S	FELT 170x27x70

*From April 2018 positions 4 and 6 have been replaced by **BV14-SMRDLB15**:
DIAMOND RESIN CUP WHEEL ARRIS CC 130x22 F 15X10 DL type 325 MESH GRIT

QUALITY &
PERFORMANCE

bovonediamond.com

BOVONE ELB10

TOOLS FOR GLASS 3-12MM AND SMALL PERCENTAGE OF LAMINATED GLASS

POS		CODE	DESCRIPTION
1		BV10-1MCS	DIAMOND CUP WHEEL CS D.150 H.22 W8 Gr.120 Mesh
2		BV10-2MF	DIAMOND CUP WHEEL CC D.150 H.22 W7 Gr.200 Mesh
3		BV10-3ROS	RESIN CUP WHEEL OS D.150 H.22 W15 Gr.230 Mesh
4*		BV10-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
5		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50
6*		BV10-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
7		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50
8		BV10-4ROS	RESIN CUP WHEEL OS D.150 H.22 W15 Gr.325 Mesh
9		BV10-5ROS	RESIN CUP WHEEL OS D.150 H.22 W15 Gr.700 Mesh
10		BVFELT170S	FELT 170x27x70

*From April 2018 positions 4 and 6 have been replaced by **BV14-SMRDLB15**:
DIAMOND RESIN CUP WHEEL ARRIS CC 130x22 F 15X10 DL type 325 MESH GRIT

QUALITY &
PERFORMANCE

bovonediamond.com

BOVONE ELB102

Construction years: up to beginning 2009

STANDARD CONFIGURATION

POS		CODE	DESCRIPTION
1		BV102-1MCSI	DIAMOND CUP WHEEL CSI D.150 H.22 W8 Gr.120 Mesh
2		BV102-2MCSI	DIAMOND CUP WHEEL CSI D.150 H.22 W8 Gr.200 Mesh
3		BV102-3ROSTL	RESIN CUP WHEEL OS "TL" D.150 H.22 W15 Gr.325 Mesh
4		BV102-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
5		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50
6		BV102-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
7		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50
8		BV102-4ROSTL	RESIN CUP WHEEL OS "TL" D.150 H.22 W15 Gr.700 Mesh
9		LCHGDUNXSNB	POLISHING CUP WHEEL 150x25x100 CE3 CERIUM W/PLATE
10		LCHGDKNRSNB	POLISHING CUP WHEEL 150x25x100 X5000 CERIUM W/PLATE

BOVONE ELB102

Construction Years: Beginning 2009-middle 2010

STANDARD CONFIGURATION

POS		CODE	DESCRIPTION
1		BV102-1MCSI	DIAMOND CUP WHEEL CSI D.150 H.22 W8 Gr.120 Mesh
2		BV102-2MCSI	DIAMOND CUP WHEEL CSI D.150 H.22 W8 Gr.200 Mesh
3		BV102-3ROSTL	RESIN CUP WHEEL OS "TL" D.150 H.22 W15 Gr.325 Mesh
4		BV102-4ROSTL	RESIN CUP WHEEL OS "TL" D.150 H.22 W15 Gr.700 Mesh
5		BV102-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
6		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50
7		BV102-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
8		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50
9		LCHGDUNXNN	POLISHING CUP WHEEL 150x25x100 RING C3 CERIUM
10		LCHGDKNRNN	POLISHING CUP WHEEL 150x25x100 RING X5000 CERIUM

QUALITY &
PERFORMANCE

bovonediamond.com

BOVONE ELB102

Construction years: after middle 2010

STANDARD CONFIGURATION

POS		CODE	DESCRIPTION
1		BV102-1MCSI	DIAMOND CUP WHEEL CSI D.150 H.22 W8 Gr.120 Mesh
2		BV102-2MCSI	DIAMOND CUP WHEEL CSI D.150 H.22 W8 Gr.200 Mesh
3		BV102-3ROSTL	RESIN CUP WHEEL OS "TL" D.150 H.22 W15 Gr.325 Mesh
4		BV102-4ROSTL	RESIN CUP WHEEL OS "TL" D.150 H.22 W15 Gr.700 Mesh
5		LCHE8UNRSN	POLISHING CUP WHEEL C3 CERIUM W/PLATE
6		LCHD8KNRSN	POLISHING CUP WHEEL X5000 CERIUM CP9
7*		BV102-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
8		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50
9*		BV102-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
10		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50

*From April 2018 positions 7 and 9 have been replaced by **BV14-SMRDLB15**:
DIAMOND RESIN CUP WHEEL ARRIS CC 130x22 F 15X10 DL type 325 MESH GRIT

QUALITY &
PERFORMANCE

bovonediamond.com

BOVONE ELB10/45

STANDARD CONFIGURATION

POS		CODE	DESCRIPTION
1		BV1045-1MOS	DIAMOND CUP WHEEL OS D.150 H.22 W12 Gr.80 Mesh
2		BV1045-2MOS	DIAMOND CUP WHEEL OS D.150 H.22 W12 Gr.120 Mesh
3		BV1045-3R	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.230 Mesh
4		BV1045-4R	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.325 Mesh
5		BV1045-5RCS	RESIN CUP WHEEL CS D.150 H.22 W15 Gr.700 Mesh
6		BVFELT170S	FELT 170x27x70
7*		BV1045-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
8		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50
9*		BV1045-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
10		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50

*From April 2018 positions 7 and 9 have been replaced by **BV14-SMRDLB15**:
DIAMOND RESIN CUP WHEEL ARRIS CC 130x22 F 15X10 DL type 325 MESH GRIT

QUALITY &
PERFORMANCE

bovonediamond.com

BOVONE ELB10/45

TOOLS FOR GLASS 3-12MM

POS		CODE	DESCRIPTION
1		BV1045-1M120	DIAMOND CUP WHEEL CC D.150 H.22 W7 Gr.120 Mesh
2		BV1045-2M200	DIAMOND CUP WHEEL CC D.150 H.22 W7 Gr.200 Mesh
3		BV1045-3ROS	RESIN CUP WHEEL OS D.150 H.22 W15 Gr.230 Mesh
4		BV1045-4ROS	RESIN CUP WHEEL OS D.150 H.22 W15 Gr.325 Mesh
5		BV1045-5ROS	RESIN CUP WHEEL OS D.150 H.22 W15 Gr.700 Mesh
6		BVFELT170S	FELT 170x27x70
7*		BV1045-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
8		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50
9*		BV1045-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
10		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50

*From April 2018 positions 7 and 9 have been replaced by **BV14-SMRDLB15**:
DIAMOND RESIN CUP WHEEL ARRIS CC 130x22 F 15X10 DL type 325 MESH GRIT

QUALITY &
PERFORMANCE

bovonediamond.com

BOVONE ELB10/45

TOOLS FOR GLASS 3-12MM AND

SMALL PERCENTAGE OF LAMINATED GLASS

POS		CODE	DESCRIPTION
1		BV1045-1MCS	DIAMOND CUP WHEEL CS D.150 H.22 W8 Gr.120 Mesh
2		BV1045-2MF	DIAMOND CUP WHEEL CC D.150 H.22 W7 Gr.200 Mesh
3		BV1045-3ROS	RESIN CUP WHEEL OS D.150 H.22 W15 Gr.230 Mesh
4		BV1045-4ROS	RESIN CUP WHEEL OS D.150 H.22 W15 Gr.325 Mesh
5		BV1045-5ROS	RESIN CUP WHEEL OS D.150 H.22 W15 Gr.700 Mesh
6		BVFELT170S	FELT 170x27x70
7*		BV1045-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
8		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50
9*		BV1045-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
10		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50

*From April 2018 positions 7 and 9 have been replaced by **BV14-SMRDLB15**:
DIAMOND RESIN CUP WHEEL ARRIS CC 130x22 F 15X10 DL type 325 MESH GRIT

QUALITY &
PERFORMANCE

bovonediamond.com

BOVONE ELB10/45

TOOLS FOR LAMINATED GLASS

POS		CODE	DESCRIPTION
1		BV1045-1MOS	DIAMOND CUP WHEEL OS D.150 H.22 W12 Gr.80 Mesh
2		BV1045-2MOS	DIAMOND CUP WHEEL OS D.150 H.22 W12 Gr.120 Mesh
3		BV1045-3ROS	RESIN CUP WHEEL OS D.150 H.22 W15 Gr.230 Mesh
4		BV1045-4ROS	RESIN CUP WHEEL OS D.150 H.22 W15 Gr.325 Mesh
5		BV1045-5ROS	RESIN CUP WHEEL OS D.150 H.22 W15 Gr.700 Mesh
6		BVFELT170S	FELT 170x27x70
7*		BV1045-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
8		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50
9*		BV1045-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
10		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50

*From April 2018 positions 7 and 9 have been replaced by **BV14-SMRDLB15**:
DIAMOND RESIN CUP WHEEL ARRIS CC 130x22 F 15X10 DL type 325 MESH GRIT

QUALITY &
PERFORMANCE

bovonediamond.com

BOVONE ELB10/45

TOOLS FOR LAMINATED GLASS WITH HIGH PVB THICKNESS

POS		CODE	DESCRIPTION
1		BV1045-1MOSF8	DIAMOND CUP WHEEL OS D.150 H.22 W8 Gr.80 Mesh
2		BV1045-2MOSF8	DIAMOND CUP WHEEL OS D.150 H.22 W8 Gr.120 Mesh
3		BV1045-3RB10OSTL	RESIN CUP WHEEL OS "TL" D.150 H.22 W10 Gr.230 Mesh
4		BV1045-4 RB10OSTL	RESIN CUP WHEEL OS "TL" D.150 H.22 W10 Gr.325 Mesh
5		BV1045-5 RB10OSTL	RESIN CUP WHEEL OS "TL" D.150 H.22 W10 Gr.700 Mesh
6		BVFELT170S	FELT 170x27x70
7*		BV1045-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
8		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50
9*		BV1045-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
10		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50

*From April 2018 positions 7 and 9 have been replaced by **BV14-SMRDLB15**:
DIAMOND RESIN CUP WHEEL ARRIS CC 130x22 F 15X10 DL type 325 MESH GRIT

QUALITY &
PERFORMANCE

bovonediamond.com

BOVONE ELB11/45

STANDARD CONFIGURATION

POS		CODE	DESCRIPTION
1		BV1045-1MOS	DIAMOND CUP WHEEL OS D.150 H.22 W12 Gr.80 Mesh
2		BV1045-2MOS	DIAMOND CUP WHEEL OS D.150 H.22 W12 Gr.120 Mesh
3		BV1045-3R	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.230 Mesh
4		BV1045-4R	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.325 Mesh
5		BV1045-5RCS	RESIN CUP WHEEL CS D.150 H.22 W15 Gr.700 Mesh
6		LCJELUNXSNpp	POLISHING CUP WHEEL CC D.170 H.70 T.35 C3 Plastic plate
7		LCJELUNXSNpp	POLISHING CUP WHEEL CC D.170 H.70 T.35 C3 Plastic plate
8*		BV1045-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
9		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50
10*		BV1045-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
11		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50

*From April 2018 positions 8 and 10 have been replaced by **BV14-SMRDLB15**:
DIAMOND RESIN CUP WHEEL ARRIS CC 130x22 F 15X10 DL type 325 MESH GRIT

QUALITY &
PERFORMANCE

bovonediamond.com

BOVONE ELB12

STANDARD CONFIGURATION

POS		CODE	DESCRIPTION
1		BV12-1M80	DIAMOND CUP WHEEL CC D.150 H.22 W7 Gr.80 Mesh
2		BV12-2M140	DIAMOND CUP WHEEL CC D.150 H.22 W7 Gr.140 Mesh
3		BV12-3M170	DIAMOND CUP WHEEL CC D.150 H.22 W7 Gr.170 Mesh
4		BV12-4M230	DIAMOND CUP WHEEL CC D.150 H.22 W7 Gr.230 Mesh
5		BV12-5R	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.325 Mesh
6		BV12-6RCS	RESIN CUP WHEEL CS D.150 H.22 W15 Gr.700 Mesh
7		BV14-SMRDLB15	RESIN CUP WHEEL CS D.130 H.22 W15 Gr.325 Mesh
8		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50
9		BV14-SMRDLB15	RESIN CUP WHEEL CS D.130 H.22 W15 Gr.325 Mesh
10		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50
11		BVFELT170S	FELT 170x27x70
12		BVFELT170S	FELT 170x27x70

QUALITY &
PERFORMANCE

bovonediamond.com

BOVONE ELB12

TOOLS FOR LAMINATED GLASS

POS		CODE	DESCRIPTION
1		BV12-1MOS	DIAMOND CUP WHEEL OS D.170 H.22 W8 Gr.70 Mesh
2		BV12-2MOS	DIAMOND CUP WHEEL OS D.170 H.22 W8 Gr.100 Mesh
3		BV12-3MOS	DIAMOND CUP WHEEL OS D.170 H.22 W8 Gr.140 Mesh
4		BV12-4MOS	DIAMOND CUP WHEEL OS D.170 H.22 W8 Gr.200 Mesh
5		BV12-4ROSTL	RESIN CUP WHEEL OS D.170 H.22 W10 Gr.325 Mesh
6		BV12-5ROSTL	RESIN CUP WHEEL OS D.170 H.22 W10 Gr.700 Mesh
7*		BV12-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
8		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50
9*		BV12-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
10		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50
11		BVFELT170S	FELT 170x27x70
12		BVFELT170S	FELT 170x27x70

*From April 2018 positions 7 and 9 have been replaced by **BV14-SMRDLB15**:
DIAMOND RESIN CUP WHEEL ARRIS CC 130x22 F 15X10 DL type 325 MESH GRIT

QUALITY &
PERFORMANCE

bovonediamond.com

BOVONE ELB14

STANDARD CONFIGURATION

POS		CODE	DESCRIPTION
1		BV14-1M	DIAMOND CUP WHEEL CC D.150 H.22 W7 Gr.70 Mesh
2		BV14-2M	DIAMOND CUP WHEEL CC D.150 H.22 W7 Gr.100 Mesh
3		BV14-3M	DIAMOND CUP WHEEL CC D.150 H.22 W5 Gr.140 Mesh
4		BV14-4R	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.230 Mesh
5		BV14-SM1	DIAMOND CUP WHEEL ARRIS CC D.130 H.22 W9 Gr.325
6		BV14-SM1	DIAMOND CUP WHEEL ARRIS CC D.130 H.22 W9 Gr.325
7		BV14-5R	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.325 Mesh
8		BV14-6RCS	RESIN CUP WHEEL CS D.150 H.22 W15 Gr.700 Mesh
9		BV14-SM2CS	RESIN CUP WHEEL CS D.130 H.22 W20 Gr.700 Mesh
10		BV14-SM2CS	RESIN CUP WHEEL CS D.130 H.22 W20 Gr.700 Mesh
11		BVFELT130I	FELT 130x27x70
12		BVFELT130I	FELT 130x27x70
13		BVFELT150S	FELT 150x25x70
14		BVFELT150S	FELT 150x25x70

QUALITY &
PERFORMANCE

bovonediamond.com

BOVONE ELB14

TOOLS FOR 3-12MM GLASS

POS		CODE	DESCRIPTION
1		BV14-1M120	DIAMOND CUP WHEEL OS D.150 H.22 W7 Gr.120 Mesh
2		BV14-2M170	DIAMOND CUP WHEEL OS D.150 H.22 W7 Gr.170 Mesh
3		BV14-3M230	DIAMOND CUP WHEEL OS D.150 H.22 W7 Gr.230 Mesh
4		BV14-4R	RESIN CUP WHEEL OS D.150 H.22 W15 Gr.230 Mesh
5		BV14-SM1	DIAMOND CUP WHEEL ARRIS CC D.130 H.22 W9 Gr.325
6		BV14-SM1	DIAMOND CUP WHEEL ARRIS CC D.130 H.22 W9 Gr.325
7		BV14-5R	RESIN CUP WHEEL OS D.150 H.22 W15 Gr.325 Mesh
8		BV14-6RCS	RESIN CUP WHEEL OS D.150 H.22 W15 Gr.700 Mesh
9		BV14-SM2CS	RESIN CUP WHEEL CS D.130 H.22 W20 Gr.700 Mesh
10		BV14-SM2CS	RESIN CUP WHEEL CS D.130 H.22 W20 Gr.700 Mesh
11		BVFELT130I	FELT 130x27x70
12		BVFELT130I	FELT 130x27x70
13		BVFELT150S	FELT 150x25x70
14		BVFELT150S	FELT 150x25x70

QUALITY &
PERFORMANCE

bovonediamond.com

BOVONE ELB14

TOOLS FOR LAMINATED GLASS

POS		CODE	DESCRIPTION
1		BV14-1MOS	DIAMOND CUP WHEEL OS D.150 H.22 W12 Gr.70 Mesh
2		BV14-2MOS	DIAMOND CUP WHEEL OS D.150 H.22 W12 Gr.100 Mesh
3		BV14-3MOS	DIAMOND CUP WHEEL OS D.150 H.22 W12 Gr.140 Mesh
4		BV14-4ROS	RESIN CUP WHEEL OS D.150 H.22 W15 Gr.230 Mesh
5		BV14-SM1	DIAMOND CUP WHEEL ARRI CC D.130 H.22 W9 Gr.325
6		BV14-SM1	DIAMOND CUP WHEEL ARRI CC D.130 H.22 W9 Gr.325
7		BV14-5ROS	RESIN CUP WHEEL OS D.150 H.22 W15 Gr.325 Mesh
8		BV14-6ROS	RESIN CUP WHEEL OS D.150 H.22 W15 Gr.700 Mesh
9		BV14-SM2CS	RESIN CUP WHEEL CS D.130 H.22 W20 Gr.700 Mesh
10		BV14-SM2CS	RESIN CUP WHEEL CS D.130 H.22 W20 Gr.700 Mesh
11		BVFELT130I	FELT 130x27x70
12		BVFELT130I	FELT 130x27x70
13		BVFELT150S	FELT 150x25x70
14		BVFELT150S	FELT 150x25x70

QUALITY &
PERFORMANCE

bovonediamond.com

BOVONE ELB14/45

STANDARD CONFIGURATION

POS		CODE	DESCRIPTION
1		BV1445-1FVOS	DIAMOND CUP WHEEL OS D.150 H.22 W12 Gr.80 Mesh
2		BV1445-2FVOS	DIAMOND CUP WHEEL OS D.150 H.22 W12 Gr.120 Mesh
3		BV1445-3FVOS	DIAMOND CUP WHEEL OS D.150 H.22 W8 Gr.170 Mesh
4		BV1445-4FV	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.325 Mesh
5		BV1445-5FVCS	RESIN CUP WHEEL OS D.150 H.22 W15 Gr.700 Mesh
6		BVFELT170S	FELT 170x27x70
7		BV1445-1FPOS	DIAMOND CUP WHEEL OS D.150 H.22 W12 Gr.120 Mesh
8*		BV1445-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
9		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50
10*		BV1445-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
11		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50
12		BV1445-2FP	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.325 Mesh
13		BV1445-3FPCS	RESIN CUP WHEEL CS D.150 H.22 W15 Gr.700 Mesh
14		BVFELT170S	FELT 170x27x70

*From April 2018 positions 8 and 10 have been replaced by **BV14-SMRDLB15**:
DIAMOND RESIN CUP WHEEL ARRIS CC 130x22 F 15X10 DL type 325 MESH GRIT

QUALITY &
PERFORMANCE

bovonediamond.com

BOVONE ELB14/45

TOOLS FOR 3-12MM GLASS

POS		CODE	DESCRIPTION
1		BV1445-1FV120	DIAMOND CUP WHEEL CC D.150 H.22 W7 Gr.120 Mesh
2		BV1445-2FV170	DIAMOND CUP WHEEL CC D.150 H.22 W7 Gr.170 Mesh
3		BV1445-3FV230	DIAMOND CUP WHEEL CC D.150 H.22 W7 Gr.230 Mesh
4		BV1445-4FV	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.325 Mesh
5		BV1445-5FVCS	RESIN CUP WHEEL CS D.150 H.22 W15 Gr.700 Mesh
6		BVFELT170S	FELT 170x27x70
7		BV1445-1FP	DIAMOND CUP WHEEL CC D.150 H.22 W7 Gr.120 Mesh
8*		BV1445-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
9		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50
10*		BV1445-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
11		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50
12		BV1445-2FP	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.325 Mesh
13		BV1445-3FPCS	RESIN CUP WHEEL CS D.150 H.22 W15 Gr.700 Mesh
14		BVFELT170S	FELT 170x27x70

*From April 2018 positions 8 and 10 have been replaced by **BV14-SMRDLB15**:
DIAMOND RESIN CUP WHEEL ARRIS CC 130x22 F 15X10 DL type 325 MESH GRIT

QUALITY &
PERFORMANCE

bovonediamond.com

BOVONE ELB14/45

TOOLS FOR LAMINATED GLASS

POS		CODE	DESCRIPTION
1		BV1445-1FVOS	DIAMOND CUP WHEEL OS D.150 H.22 W12 Gr.80 Mesh
2		BV1445-2FVOS	DIAMOND CUP WHEEL OS D.150 H.22 W12 Gr.120 Mesh
3		BV1445-3FVOS	DIAMOND CUP WHEEL OS D.150 H.22 W8 Gr.170 Mesh
4		BV1445-4FVOS	RESIN CUP WHEEL OS D.150 H.22 W15 Gr.325 Mesh
5		BV1445-5FVOS	RESIN CUP WHEEL OS D.150 H.22 W15 Gr.700 Mesh
6		BVFELT170S	FELT 170x27x70
7		BV1445-1FPOS	DIAMOND CUP WHEEL OS D.150 H.22 W12 Gr.120 Mesh
8*		BV1445-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
9		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50
10*		BV1445-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
11		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50
12		BV1445-2FPOS	RESIN CUP WHEEL OS D.150 H.22 W15 Gr.325 Mesh
13		BV1445-3FPOS	RESIN CUP WHEEL OS D.150 H.22 W15 Gr.700 Mesh
14		BVFELT170S	FELT 170x27x70

*From April 2018 positions 8 and 10 have been replaced by **BV14-SMRDLB15**:
DIAMOND RESIN CUP WHEEL ARRIS CC 130x22 F 15X10 DL type 325 MESH GRIT

QUALITY &
PERFORMANCE

bovonediamond.com

BOVONE ELB14/45

TOOLS FOR LAMINATED GLASS WITH HIGH PVB THICKNESS

POS		CODE	DESCRIPTION
1		BV1445-1FVOSb8	DIAMOND CUP WHEEL OS D.150 H.22 W8 Gr.80 Mesh
2		BV1445-2FVOSb8	DIAMOND CUP WHEEL OS D.150 H.22 W8 Gr.120 Mesh
3		BV1445-3FV8OS170	DIAMOND CUP WHEEL OS D.150 H.22 W8 Gr.170 Mesh
4		BV1445-4FVB10TLOS	RESIN CUP WHEEL OS D.150 H.22 W10 Gr.325 Mesh
5		BV1445-5FVB10TLOS	RESIN CUP WHEEL OS D.150 H.22 W10 Gr.700 Mesh
6		BVFELT170S	FELT 170x27x70
7		BV1445-1FPOS	DIAMOND CUP WHEEL OS D.150 H.22 W12 Gr.120 Mesh
8*		BV1445-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
9		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50
10*		BV1445-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
11		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50
12		BV1445-2FPOS	RESIN CUP WHEEL OS D.150 H.22 W15 Gr.325 Mesh
13		BV1445-3FPOS	RESIN CUP WHEEL OS D.150 H.22 W15 Gr.700 Mesh
14		BVFELT170S	FELT 170x27x70

*From April 2018 positions 8 and 10 have been replaced by **BV14-SMRDLB15**:
DIAMOND RESIN CUP WHEEL ARRIS CC 130x22 F 15X10 DL type 325 MESH GRIT

QUALITY &
PERFORMANCE

bovonediamond.com

BOVONE ELB14/45

TOOLS FOR LAMINATED GLASS WITH D.170 WHEELS

POS		CODE	DESCRIPTION
1		BV1445-1FV7OS	DIAMOND CUP WHEEL CC D.170 H.22 W8 Gr.100 Mesh
2		BV1445-2FV7OS	DIAMOND CUP WHEEL CC D.170 H.22 W8 Gr.140 Mesh
3		BV1445-3FV7OS	DIAMOND CUP WHEEL CC D.170 H.22 W8 Gr.170 Mesh
4		BV1445-4FV7OSTL	RESIN CUP WHEEL OS D.170 H.22 W10 Gr.325 Mesh
5		BV1445-5FV7OSTL	RESIN CUP WHEEL OS D.170 H.22 W10 Gr.700 Mesh
6		BVFELT170S	FELT 170x27x70
7		BV1445-1FPOS	DIAMOND CUP WHEEL OS D.150 H.22 W12 Gr.120 Mesh
8*		BV1445-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
9		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50
10*		BV1445-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
11		LCHAHLN1NN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 T.50
12		BV1445-2FPOS	RESIN CUP WHEEL OS D.150 H.22 W15 Gr.325 Mesh
13		BV1445-3FPOS	RESIN CUP WHEEL OS D.150 H.22 W15 Gr.700 Mesh
14		BVFELT170S	FELT 170x27x70

*From April 2018 positions 8 and 10 have been replaced by **BV14-SMRDLB15**:
DIAMOND RESIN CUP WHEEL ARRIS CC 130x22 F 15X10 DL type 325 MESH GRIT

QUALITY &
PERFORMANCE

bovonediamond.com

BOVONE ELB17/45

STANDARD CONFIGURATION

POS		CODE	DESCRIPTION
1		BV17-1FVOS80	DIAMOND CUP WHEEL OS D.150 H.22 W12 Gr.80 Mesh
2		BV17-2FVOS120	DIAMOND CUP WHEEL OS D.150 H.22 W12 Gr.120 Mesh
3		BV17-3FVOSB8170	DIAMOND CUP WHEEL OS D.150 H.22 W8 Gr.170 Mesh
4		BV17-4FV	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.325 Mesh
5		BV17-5FVCS	RESIN CUP WHEEL CS D.150 H.22 W15 Gr.700 Mesh
6		BVFELT170S	FELT 170x27x70
7		BV17-1FPOS	DIAMOND CUP WHEEL OS D.150 H.22 W12 Gr.120 Mesh
8		BV17-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
9		BV17-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
10		BV17-2FP	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.325 Mesh
11		BV17-3FPCS	RESIN CUP WHEEL CS D.150 H.22 W15 Gr.700 Mesh
12		BV17-SM2CS	RESIN CUP WHEEL OS D.150 H.22 W15 Gr.700 Mesh
13		BV17-SM2CS	RESIN CUP WHEEL OS D.150 H.22 W15 Gr.700 Mesh
14		BVFELT150S	FELT 150x25x70
15		BVFELT150S	FELT 150x25x70
16		BVFELT150S	FELT 150x25x70
17		BVFELT150S	FELT 150x25x70

QUALITY &
PERFORMANCE

bovonediamond.com

BOVONE ELB17/45

TOOLS FOR 3-12MM GLASS

POS		CODE	DESCRIPTION
1		BV17-1FV120	DIAMOND CUP WHEEL CC D.150 H.22 W7 Gr.120 Mesh
2		BV17-2FV170	DIAMOND CUP WHEEL CC D.150 H.22 W7 Gr.170 Mesh
3		BV17-3FV230	DIAMOND CUP WHEEL CC D.150 H.22 W7 Gr.230 Mesh
4		BV17-4FV	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.325 Mesh
5		BV17-5FVCS	RESIN CUP WHEEL CS D.150 H.22 W15 Gr.700 Mesh
6		BVFELT170S	FELT 170x27x70
7		BV17-1FP	DIAMOND CUP WHEEL CC D.150 H.22 W7 Gr.120 Mesh
8		BV17-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
9		BV17-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
10		BV17-2FP	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.325 Mesh
11		BV17-3FPCS	RESIN CUP WHEEL CS D.150 H.22 W15 Gr.700 Mesh
12		BV17-SM2CS	RESIN CUP WHEEL CS D.150 H.22 W15 Gr.700 Mesh
13		BV17-SM2CS	RESIN CUP WHEEL CS D.150 H.22 W15 Gr.700 Mesh
14		BVFELT150S	FELT 150x25x70
15		BVFELT150S	FELT 150x25x70
16		BVFELT150S	FELT 150x25x70
17		BVFELT150S	FELT 150x25x70

QUALITY &
PERFORMANCE

bovonediamond.com

BOVONE ELB17/45

TOOLS FOR LAMINATED GLASS

POS		CODE	DESCRIPTION
1		BV17-1FVOS80	DIAMOND CUP WHEEL OS D.150 H.22 W12 Gr.80 Mesh
2		BV17-2FVOS120	DIAMOND CUP WHEEL OS D.150 H.22 W12 Gr.120 Mesh
3		BV17-3FVOS170	DIAMOND CUP WHEEL OS D.150 H.22 W12 Gr.170 Mesh
4		BV17-4FVOS	RESIN CUP WHEEL OS D.150 H.22 W15 Gr.325 Mesh
5		BV17-5FVOS	RESIN CUP WHEEL OS D.150 H.22 W15 Gr.700 Mesh
6		BVFELT170S	FELT 170x27x70
7		BV17-1FPOS	DIAMOND CUP WHEEL OS D.150 H.22 W12 Gr.120 Mesh
8		BV17-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
9		BV17-SM1	DIAMOND CUP WHEEL ARRIS CC D.150 H.22 W7 Gr.325
10		BV17-2FPOS	RESIN CUP WHEEL OS D.150 H.22 W15 Gr.325 Mesh
11		BV17-3FPOS	RESIN CUP WHEEL OS D.150 H.22 W15 Gr.700 Mesh
12		BV17-SM2CS	RESIN CUP WHEEL OS D.150 H.22 W15 Gr.700 Mesh
13		BV17-SM2CS	RESIN CUP WHEEL OS D.150 H.22 W15 Gr.700 Mesh
14		BVFELT150S	FELT 150x25x70
15		BVFELT150S	FELT 150x25x70
16		BVFELT150S	FELT 150x25x70
17		BVFELT150S	FELT 150x25x70

QUALITY &
PERFORMANCE

bovonediamond.com

BOVONE ELB17/45

TOOLS FOR LAMINATED GLASS WITH HIGH PVB THICKNESS

POS		CODE	DESCRIPTION
1		BV17-1FVOS880	DIAMOND CUP WHEEL OS D.150 H.22 W8 Gr.80 Mesh
2		BV17-2FVOS8120	DIAMOND CUP WHEEL OS D.150 H22 W8 Gr.120 Mesh
3		BV17-3FVOS8170	DIAMOND CUP WHEEL OS D.150 H22 W8 Gr.170 Mesh
4		BV17-4FVB100STL	RESIN CUP WHEEL OS "TL" D.150 H22 W10 Gr.325 Mesh
5		BV17-5FVB100STL	RESIN CUP WHEEL OS "TL" D.150 H22 W10 Gr.700 Mesh
6		BVFELT170S	FELT 170x27x70
7		BV17-1FPOS	DIAMOND CUP WHEEL OS W12 Gr.120 Mesh
8		BV17-SM1	DIAMOND CUP WHEEL ARRIS CC W7 Gr.325
9		BV17-SM1	DIAMOND CUP WHEEL ARRIS CC W7 Gr.325
10		BV17-2FPOS	RESIN CUP WHEEL OS W15 Gr.325 Mesh
11		BV17-3FPOS	RESIN CUP WHEEL OS W15 Gr.700 Mesh
12		BV17-SM2CS	RESIN CUP WHEEL OS W15 Gr.700 Mesh
13		BV17-SM2CS	RESIN CUP WHEEL OS W15 Gr.700 Mesh
14		BVFELT150S	FELT 150x25x70
15		BVFELT150S	FELT 150x25x70
16		BVFELT150S	FELT 150x25x70
17		BVFELT150S	FELT 150x25x70

QUALITY &
PERFORMANCE

bovonediamond.com

BOVONE ELB 251

STANDARD CONFIGURATION

POS		CODE	DESCRIPTION
1		BV251-1M	DIAMOND CUP WHEEL CC D.150 H.22 W4 Gr.120 Mesh
2		BV251-2M	DIAMOND CUP WHEEL CC D.150 H.22 W4 Gr.170 Mesh
3*		BV251-3R	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.230 Mesh
4*		BV251-4R	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.325 Mesh
5*		BV251-5R	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.700 Mesh
6		BVBEV-PE4	DIAMOND PERIPHERAL WHEEL CC Gr.230 Mesh
7		BVFELT150S	FELT 150x25x70

*Since 2019 positions 3-4-5 have radial closed segments with aluminum plate (-RB10CSRADpa)

QUALITY &
PERFORMANCE

bovonediamond.com

BOVONE ELB 252

STANDARD CONFIGURATION

POS		CODE	DESCRIPTION
1		BV251-1M	DIAMOND CUP WHEEL CC D.150 H.22 W4 Gr.120 Mesh
2		BV251-2M	DIAMOND CUP WHEEL CC D.150 H.22 W4 Gr.170 Mesh
3*		BV251-3R	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.230 Mesh
4*		BV251-4R	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.325 Mesh
5*		BV251-5R	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.700 Mesh
6		BVBEV-PE4	DIAMOND PERIPHERAL WHEEL CC Gr.230 Mesh
7		LPHBBACRNN	POLISHING PERIPHERAL WHEEL D.150
8		BVFELT150S	FELT 150x25x70

*Since 2019 positions 3-4-5 have radial closed segments with aluminum plate
(-RB10CSRAPpa)

QUALITY &
PERFORMANCE

bovonediamond.com

BOVONE ELB 361+1

STANDARD CONFIGURATION

*for machines from 1989 to 2004 felt diameter is 185 instead of 150

POS		CODE	DESCRIPTION
1		BV371-1M	DIAMOND CUP WHEEL CC D.150 H.22 W4 Gr.100 Mesh
2		BV371-2M	DIAMOND CUP WHEEL CC D.150 H.22 W4 Gr.170 Mesh
3*		BV371-3R	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.170 Mesh
4		BVBEV-PE4	DIAMOND PERIPHERAL WHEEL CC Gr.230 Mesh
5*		BV371-4R	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.230 Mesh
6*		BV371-5R	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.325 Mesh
7		LCCMD1NXSN	POLISHING CUP WHEEL ARRIS CC D.110 W/PLATE
8*		BV371-6R	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.700 Mesh
9		BVFELT150S	FELT 150x25x70
10		BVFELT150S	FELT 150x25x70
11		BVFELT150S	FELT 150x25x70

*Since 2019 positions 3-5-6-8 have radial closed segments with aluminum plate (-RB10CSRADpa)

QUALITY &
PERFORMANCE

bovonediamond.com

BOVONE ELB 362

STANDARD CONFIGURATION

*for machines from 1989 to 2004 felt diameter is 185 instead of 150

POS		CODE	DESCRIPTION
1		BV371-1M	DIAMOND CUP WHEEL CC D.150 H.22 W4 Gr.100 Mesh
2		BV371-2M	DIAMOND CUP WHEEL CC D.150 H.22 W4 Gr.170 Mesh
3*		BV371-3R	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.170 Mesh
4		BVBEV-PE4	DIAMOND PERIPHERAL WHEEL CC Gr.230 Mesh
5*		BV371-4R	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.230 Mesh
6*		BV371-5R	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.325 Mesh
7		LPHBBACRNN	POLISHING CUP WHEEL ARRIS CC D.150 H.22 9R
8*		BV371-6R	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.700 Mesh
9		BVFELT150S	FELT 150x25x70
10*		BVFELT150S	FELT 150x25x70
11		BVFELT150S	FELT 150x25x70

*Since 2019 positions 3-5-6-8 have radial closed segments with aluminum plate (-RB10CSRADpa)

QUALITY &
PERFORMANCE

bovonediamond.com

BOVONE ELB 371

STANDARD CONFIGURATION

*for machines from 1989 to 2004 felt diameter is 185 instead of 150

POS		CODE	DESCRIPTION
1		BV371-1M	DIAMOND CUP WHEEL CC D.150 H.22 W4 Gr.100 Mesh
2		BV371-2M	DIAMOND CUP WHEEL CC D.150 H.22 W4 Gr.170 Mesh
3*		BV371-3R	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.170 Mesh
4*		BVBEV-PE4	DIAMOND PERIPHERAL WHEEL CC Gr.230 Mesh
5*		BV371-4R	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.230 Mesh
6*		BV371-5R	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.325 Mesh
7*		BV371-6R	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.700 Mesh
8*		BV371-7R	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.900 Mesh
9		BVFELT150S	FELT 150x25x70
10		BVFELT150S	FELT 150x25x70
11		BVFELT150S	FELT 150x25x70

*Since 2019 positions 3-5-6-7-8 have radial closed segments with aluminum plate (-RB10CSRADpa)

QUALITY &
PERFORMANCE

bovonediamond.com

BOVONE ELB 461+1

STANDARD CONFIGURATION

POS		CODE	DESCRIPTION
1		BV471-1M	DIAMOND CUP WHEEL CC D.150 H.22 W4 Gr.100 Mesh
2		BV471-2M	DIAMOND CUP WHEEL CC D.150 H.22 W4 Gr.140 Mesh
3*		BV471-3RCSpa	RESIN CUP WHEEL CS D.150 H.22 W15 Gr.170 Mesh
4*		BV471-4RCSpa	RESIN CUP WHEEL CS D.150 H.22 W15 Gr.230 Mesh
5*		BV471-5RCSpa	RESIN CUP WHEEL CS D.150 H.22 W15 Gr.325 Mesh
6*		BV471-6RCSpa	RESIN CUP WHEEL CS D.150 H.22 W15 Gr.700 Mesh
7		LCCMDLNOSNpa	POLISHING CUP ARRIS WHEEL 110x35x24 SD-BDT w/alu plate
8		BVBEV-PE4F325	DIAMOND PERIPHERAL WHEEL CC Gr.325 Mesh
9		BVFELT150S	FELT 150x25x70
10		BVFELT150S	FELT 150x25x70
11		BVFELT150S	FELT 150x25x70
12		BVFELT150S	FELT 150x25x70

*Since 2019 positions 3-4-5-6 have radial closed segments with aluminum plate (-RB10CSRADpa)

QUALITY &
PERFORMANCE

bovonediamond.com

BOVONE ELB 462

STANDARD CONFIGURATION

POS		CODE	DESCRIPTION
1		BV471-1M	DIAMOND CUP WHEEL CC D.150 H.22 W4 Gr.100 Mesh
2		BV471-2M	DIAMOND CUP WHEEL CC D.150 H.22 W4 Gr.140 Mesh
3*		BV471-3RCSpa	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.170 Mesh
4*		BV471-4RCSpa	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.230 Mesh
5*		BV471-5RCSpa	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.325 Mesh
6*		BV471-6RCSpa	RESIN CUP WHEEL CC D.150 H.22 W15 Gr.700 Mesh
7		BVBEV-PE4F325	DIAMOND PERIPHERAL WHEEL CC Gr.325 Mesh
8		LPHBBACRNN	POLISHING PERIPHERAL WHEEL 9/R GR.80 150x15x25
9		BVFELT150S	FELT 150x25x70
10		BVFELT150S	FELT 150x25x70
11		BVFELT150S	FELT 150x25x70
12		BVFELT150S	FELT 150x25x70

*Since 2019 positions 3-4-5-6 have radial closed segments with aluminum plate (-RB10CSRADpa)

QUALITY &
PERFORMANCE

bovonediamond.com

BOVONE ELB 471

STANDARD CONFIGURATION

POS		CODE	DESCRIPTION
1		BV471-1M	DIAMOND CUP WHEEL CC D.150 H.22 W4 Gr.100 Mesh
2		BV471-2M	DIAMOND CUP WHEEL CC D.150 H.22 W4 Gr.140 Mesh
3*		BV471-3RCSpa	RESIN CUP WHEEL CS D.150 H.22 W15 Gr.170 Mesh
4*		BV471-4RCSpa	RESIN CUP WHEEL CS D.150 H.22 W15 Gr.230 Mesh
5*		BV471-5RCSpa	RESIN CUP WHEEL CS D.150 H.22 W15 Gr.325 Mesh
6*		BV471-6RCSpa	RESIN CUP WHEEL CS D.150 H.22 W15 Gr.700 Mesh
7*		BV471-7RCSpa	RESIN CUP WHEEL CS D.150 H.22 W15 Gr.900 Mesh
8		BVBEV-PE4F325	DIAMOND PERIPHERAL WHEEL CC Gr.325 Mesh
9		BVFELT150S	FELT 150x25x70
10		BVFELT150S	FELT 150x25x70
11		BVFELT150S	FELT 150x25x70
12		BVFELT150S	FELT 150x25x70

*Since 2019 positions 3-4-5-6-7 have radial closed segments with aluminum plate (-RB10CSRADpa)

QUALITY &
PERFORMANCE

bovonediamond.com

All other available tooling set ups

ADA

ADA 2001 ; ADA 2004 MODULAR ; ADA2006 Fi ; ADA 2401
ADA 2601 ; ADA 3009 ; ADA 3503 ; ADA 5211

BANDO

BANDO B1000

BATTELLINO

BATTELLINO BEVEL 400 ; BATTELLINO FP4 ; BATTELLINO FP5
BATTELLINO FP6

BAUDIN

BAUDIN 481 EDGER ; BAUDIN 581 EDGER ; BAUDIN 681 EDGER ;
BAUDIN 790 BEVELER ; BAUDIN 881 EDGER ; BAUDIN 881-332 EDGER
BAUDIN 981 EDGER ; BAUDIN 1081 EDGER ; BAUDIN 1090 BEVELER
BAUDIN 1181 EDGER

BAVELLONI GLASTON

BAVELLONI B52-53 ; BAVELLONI B73-B75 CNP ; BAVELLONI B73-B75 CNS ;
BAVELLONI CR1111 R ; BAVELLONI CR1111 ; BAVELLONI GEMY 6- HIYON 6
BAVELLONI GEMY 8-HIYON 8 ; BAVELLONI GEMY 9C-HIYON 9C ; BAVELLONI GEMY 11-HIYON 11
BAVELLONI GEMY V10-HIYON V10 ; BAVELLONI GEMY 14-HIYON 14 ; BAVELLONI MAX 50-60-80 CNP
BAVELLONI MAX 50-60-80 CNS ; BAVELLONI MD4 ; BAVELLONI MV9 ; BAVELLONI P25 TM;
BAVELLONI P25 ; BAVELLONI PR43 ; BAVELLONI PR88 ; BAVELLONI PR54 ; BAVELLONI PRV99
BAVELLONI SB10 ; BAVELLONI TB64/65/66 ; BAVELLONI VR1114 ; BAVELLONI VX8 ;
BAVELLONI VX10 ; BAVELLONI VX11 ; BAVELLONI VX12 ;

BENTELER

BENTELER DOUBLE EDGER 10 ; BENTELER DOUBLE EDGER 13

BESANA

BESANA R15 ; BESANA R8T ; BESANA R9TS ; BESANA R10TA ; BESANA R11TS ;
BESANA SQ10T BIL ; BESANA SQ10TS BIL ; BESANA SQ11T BIL ; BESANA SQ12T BIL

BODO GERHARD

K102 S4-K1504; K102 S5-K1505 ; K103 S-K1507; K200 GE; K300E-K3008
K300GE-KG3008 ; KG4010-KG3010 ; KG4014

BOTTERO

BOTTERO 106F ; BOTTERO 108F ; BOTTERO 110FC ; BOTTERO 110BC-810BC;
BOTTERO 111F ; BOTTERO 113FC ; BOTTERO 216 ; BOTTERO 220 ; BOTTERO 308 ;
BOTTERO 810BC ; BOTTERO 810BR ; BOTTERO 814-114 ; BOTTERO 814 LAM ;
BOTTERO 815BC ; BOTTERO 815 ; BOTTERO 816-116 ; BOTTERO 907B ;
BOTTERO 907P ; BOTTERO 910B ; BOTTERO 910P ; BOTTERO 913T ;
BOTTERO 913C ;

BUSETTI

BUSETTI F8 BIL; Busetti F10 BIL.P1 CUP; Busetti F10 BIL.P1 PERIF.;
BUSETTI F12 BIL.P1 CUP DDG; Busetti F12 BIL.P1 CUP; Busetti F12 BIL.P1 PERIF;
BUSETTI PE3 BIL; Busetti PE4 BIL

CAU

CAU RT10 C

COVESA

COVESA CT BEVEL40; COVESA FLAT30 6M; COVESA FLAT30 8M; COVESA FLAT30 10M;
COVESA MINI FLAT4; COVESA MITRE 45; COVESA MITRE 450

DELTA

DELTA ABC7; DELTA MTL8

DELTA PROGETTI

DELTA PROGETTI FUTURA 8P; DELTA PROGETTI FUTURA 10P;
DELTA PROGETTI FUTURA 11P; DELTA PROGETTI FUTURA 12P;

DENVER

QUOTA GLASS ; DIGIT GLASS

FMF

FMF 400; FMF 420; FMF 430; FMF 450; FMF 470; FMF 480; FMF 483; FMF 484; FMF 485-03;
FMF 486; FMF 487;

FORVET

FORVET CHIARA MTP8

QUALITY &
PERFORMANCE

bovonediamond.com

GLASS PROGETTI

GLASS PROGETTI 5; GLASS PROGETTI B125; GLASS PROGETTI B127

GME

GME MB6; GME MB10

INTERMAC

MASTERBEVEL

LATTUADA

LATTUADA AL4E; LATTUADA AL5 AV; LATTUADA AL6 AV; LATTUADA AL6E; LATTUADA AL6M;
LATTUADA AL7 AV; LATTUADA AL8E; LATTUADA AL9 DD; LATTUADA AL9 MAV; LATTUADA AL9 M-E;
LATTUADA AL10M; LATTUADA AL10; LATTUADA COMBI13; LATTUADA COMBI14;
LATTUADA DELTA M4; LATTUADA GAMMA 614; LATTUADA GAMMA6; LATTUADA GAMMA7PN;
LATTUADA GAMMA7; LATTUADA GAMMA8; LATTUADA GAMMA10; LATTUADA GAMMA11;
LATTUADA GAMMA624; LATTUADA GAMMA633; LATTUADA GAMMA653; LATTUADA GAMMA713
LATTUADA GAMMA723; LATTUADA GAMMA743; LATTUADA TL9 AV; LATTUADA TL9 DD;
LATTUADA TL10 AVC LAM; LATTUADA TL1 AVC; LATTUADA TL10 FLOT; LATTUADA TL10;
LATTUADA TL11 AV LAM; LATTUADA TL11 AV; LATTUADA TL11; LATTUADA TL12 C; LATTUADA TL13 AV;
LATTUADA TL13; LATTUADA TLR11 AV; LATTUADA TLR13C; LATTUADA TLR14 AVC; LATTUADA TLR14;
LATTUADA TLR15 C; LATTUADA TLR16 AVC;

LOVATI

LOVATI 1000

NEPTUN

NEPTUN ROCK8; NEPTUN ROCK 10-45; NEPTUN ROCK11

SCHIATTI


SCHIATTI AR2M; SCHIATTI BFP12; SCHIATTI BFP20; SCHIATTI BS7-20 ; SCHIATTI BS9-25;
SCHIATTI FPS10; SCHIATTI FPS15M9; SCHIATTI FPS15 RSB; SCHIATTI FPS15 S7;
SCHIATTI FPS15 S9-RS; SCHIATTI FPS15 15S; SCHIATTI FPS15 M; SCHIATTI FPS20 20S;
SCHIATTI FPS20R-20RS; SCHIATTI FPS20 RSB; SCHIATTI FPS50; SCHIATTI FPS50 M2; SCHIATTI FPS50 M3;
SCHIATTI FPS50 M3B; SCHIATTI FPS50R; SCHIATTI FPS50RM; SCHIATTI FPS50RSB; SCHIATTI FPS-M4;
SCHIATTI RI6M; SCHIATTI SME8; SCHIATTI SME10; SCHIATTI SME10B

VITRODODI

VITRODODI BEMAX 6000; VITRODODI PAV9

QUALITY &
PERFORMANCE

bovonediamond.com



ZAFFERANI

ZAFFERANI COMBINET 60; ZAFFERANI FLAT4 FPE BS60; ZAFFERANI FLAT4 FPE;
ZAFFERANI FLAT5 FPE BS60; ZAFFERANI FLAT5 FPE; ZAFFERANI FLAT6 FPE; ZAFFERANI FLAT8 FPE BS30;
ZAFFERANI FLAT8 FPE BS60; ZAFFERANI FLAT8 FPE; ZAFFERANI FLAT9 FPE; ZAFFERANI FLAT10 BS40;
ZAFFERANI FLAT10 FPE40; ZAFFERANI FLAT830 ; ZAFFERANI MAC5 ARRIS; ZAFFERANI MAC5 ROUND;
ZAFFERANI MAC7 ARRIS; ZAFFERANI MAC7 ROUND; ZAFFERANI MASTER 4M-22;
ZAFFERANI MASTER 6M-22; ZAFFERANI VAR7 ARRIS; ZAFFERANI MASTER VAR7 ROUND

ZANETTI

ZANETTI FP6; ZANETTI FP10

QUALITY &
PERFORMANCE

bovonediamond.com

ARRIS POLISHING CUP WHEELS

Ø	H	HOLE	MADE FOR	CD	SD
75	37	9	FORVET	LCéiZLN1SN	LCéiZLNOSN
100	30	30	ZANETTI	LCBCELN1SN	LCBCELNOSN
100	30	50	LATTUADA/ZAFFERANI	LCBDELN1NN	LCBDELNONN
100	35	30	LATTUADA	LCBCLLN1NN	LCBCLLNONN
100	35	50	VITRODODI/ZAFFERANI	LCBDLLN1SN	LCBDLLNOSN
100	45	11	BAVELLONI	LCBXGLN1NN	LCBXGLNONN
110	25	80	BOVONE	LCCMDLN1SN	LCCMDLNOSN
125	35	22	ADA/SCHIATTI	LCEALLN1NN	LCEALLNONN
125	40	25	BESANA	LCEBFLN1NN	LCEBFLNONN
125	40	40	BODO-GERHARD	LCEJFLN1SN	LCEJFLNOSN
125	50	25	BESANA	LCEBHLN1SN	LCEBHLNOSN
130	30	50	LATTUADA	LCFDELN1NN	LCFDELNONN
130	35	12	BAVELLONI	LCFNLLN1SS	LCFNLLNOSS
130	35	50	ADA	LCFDLLN1SNA	LCFDLLNOSNA
130	35	50	BATTELLINO	LCFDL2N1SN	LCFDL2NOSN
130	35	50	METRAL/LATTUADA	LCFDLLN1SN	LCFDLLNOSN
130	35	51	FMF/BOTTERO	LCFRLLN1SS	LCFRLLNOSS
130	40	12	BAVELLONI	LCFNFLN1SN	LCFNFLNOSN
130	40	22	BOVONE	LCFAFLN1SN	LCFAFLNOSN
130	40	50	DELTA	LCFDL1N1SS	LCFDL1NOSN
130	45	22	BOVONE	LCFAGLN1SN	LCFAGLNOSN
150	30	30	ZANETTI	LCHCELN1NN	LCHCELNONN
150	30	50	LATTUADA	LCHDELN1NN	LCHDELNOSN
150	30	50	DENVER VERTIGO	LCHDELN1SN	LCHDELNOSN
150	40	11	BAVELLONI/GME	LCHXFLN1NN	LCHXFLNONN
150	40	22	COVESA/SCHIATTI	LCHAFLN1NN	LCHAFLNONN
150	40	50	ADA/DELTA/DELTAPROGETTI	LCHDFNN1SN	LCHDFNNOSN
150	40	51	BOTTERO/CAU/FMF	LCHRFLN1SS	LCHRFLNOSS
150	40	68	SCHIATTI	LCHLFLN1NN	LCHLFLNONN
150	40	70	BAUDIN/BAVELLONI/GME	LCHEFLN1NN	LCHEFLNONN
150	45	11	BAVELLONI	LCHXGLN1NN	LCHXGLNONN
150	45	12	ENKONG	LCHNGLN1NN	LCHNGLNONN
150	50	22	BOVONE	LCHAHLN1NN	LCHAHLNONN
150	50	70	BUSETTI	LCHEHLN1NN	LCHEHLNONN
150	60	70	BUSETTI	LCHEJLN1NN	LCHEJLNONN



CD: Polishing wheel combined with a diamond wheel for the arris
SD: Polishing wheel designed for the arris without a diamond wheel

QUALITY &
PERFORMANCE

bovonediamond.com

Other available products upon request

- Synthetic and wool felts, both spiral and not spiral, Italian and import products
- Cerium oxide
- Coolant oil



NEW
AXION
GLASS POLISH

**Radical
innovation**
in the cerium polishing

Increase polishing wheel life
Increase polishing spindle life
Increase polishing speeds
Increase finish quality
Increase production
Increase efficiency
Increase profits


NEW
AXION
GLASS POLISH



QUALITY &
PERFORMANCE

bovonediamond.com






ROUTERS

QUALITY &
PERFORMANCE

bovonediamond.com

ROUTERS




D	N° SEGMENTS	L	CODE
8	3	27	FR27-8-3S
10	3	27	FR27-10-3S
12	3	27	FR27-12-3S
14	3	27	FR27-14-3S
16	4	40	FR40-16-4S
20	4	40	FR40-20-4S
20	6	40	FR40-20-6S
20	4	48	FR48-20-4S
20	4	63	FR63-20-4S
22	4	40	FR40-22-4S
22	4	48	FR48-22-4S
22	4	63	FR63-22-4S
22	6	40	FR40-22-6S
22	6	48	FR48-22-6S
22	6	63	FR63-22-6S

QUALITY &
PERFORMANCE

bovonediamond.com

GOLDNET ROUTERS




D	N° SEGMENTS	L	CODE
10		27	FR27-10-GN
12		27	FR27-12-GN
14		40	FR40-14-GN
16		40	FR40-16-GN
20		40	FR40-20-GN
20		50	FR50-20-GN
20		60	FR60-20-GN
22		40	FR40-22-GN
22		50	FR50-22-GN
22		60	FR60-22-GN

QUALITY &
PERFORMANCE


bovonediamond.com

PENCIL EDGE ROUTERS




GLASS	U	GRIT	CODE	D			
				10	15	20	25
3	4	MEDIUM	FRPE-*D*-H4M+F	x	x	x	x
	4	FINE	FRPE-*D*-H4F+F	x	x	x	x
4	5	MEDIUM	FRPE-*D*-H5M+F	x	x	x	x
	5	FINE	FRPE-*D*-H5F+F	x	x	x	x
5	6	MEDIUM	FRPE-*D*-H6M+F	x	x	x	x
	6	FINE	FRPE-*D*-H6F+F	x	x	x	x
6	7	MEDIUM	FRPE-*D*-H7M+F	x	x	x	x
	7	FINE	FRPE-*D*-H7F+F	x	x	x	x
8	10	MEDIUM	FRPE-*D*-H10M+F	x	x	x	x
	10	FINE	FRPE-*D*-H10F+F	x	x	x	x
10	12	MEDIUM	FRPE-*D*-H12M+F	x	x	x	x
	12	FINE	FRPE-*D*-H12F+F	x	x	x	x
12	14	MEDIUM	FRPE-*D*-H14M+F		x	x	x
	14	FINE	FRPE-*D*-H14F+F		x	x	x
15	17	MEDIUM	FRPE-*D*-H17M+F		x	x	x
	17	FINE	FRPE-*D*-H17F+F		x	x	x
19	21	MEDIUM	FRPE-*D*-H21M+F		x	x	x
	21	FINE	FRPE-*D*-H21F+F		x	x	x

TRAPEZOIDAL ROUTERS



GLASS	U	U1	GRIT	CODE	D			
					10	15	20	25
3	4	1	MEDIUM	FRTR-*D*-H4/1M+F	x	x	x	x
	4	1	FINE	FRTR-*D*-H4/1F+F	x	x	x	x
4	6	2	MEDIUM	FRTR-*D*-H6/2M+F	x	x	x	x
	6	2	FINE	FRTR-*D*-H6/2F+F	x	x	x	x
5	7	3	MEDIUM	FRTR-*D*-H7/3M+F	x	x	x	x
	7	3	FINE	FRTR-*D*-H7/3F+F	x	x	x	x
6	8	4	MEDIUM	FRTR-*D*-H8/4M+F	x	x	x	x
	8	4	FINE	FRTR-*D*-H8/4F+F	x	x	x	x
8	9	5	MEDIUM	FRTR-*D*-H9/5M+F	x	x	x	x
	9	5	FINE	FRTR-*D*-H9/5F+F	x	x	x	x
10	11	7	MEDIUM	FRTR-*D*-H11/7M+F	x	x	x	x
	11	7	FINE	FRTR-*D*-H11/7F+F	x	x	x	x
12	13	9	MEDIUM	FRTR-*D*-H13/9M+F		x	x	x
	13	9	FINE	FRTR-*D*-H13/9F+F		x	x	x
15	16	12	MEDIUM	FRTR-*D*-H16/12M+F		x	x	x
	16	12	FINE	FRTR-*D*-H16/12F+F		x	x	x
19	20	16	MEDIUM	FRTR-*D*-H20/16M+F		x	x	x
	20	16	FINE	FRTR-*D*-H20/16F+F		x	x	x

«COMBI» PENCIL EDGE ROUTERS




GLASS	U	L	N° SEGMENTS	GRIT	CODE	D		
						14	20	25
3	4	20	4	MEDIUM	FRCO*D*-F43S+PE5M+F	x	x	x
	4	20	4	FINE	FRCO*D*-FE4S+PE5F+F	x	x	x
4	5	20	4	MEDIUM	FRCO*D*-FE4S+PE5M+F	x	x	x
	5	20	4	FINE	FRCO*D*-FE4S+PE5F+F	x	x	x
5	6	20	4	MEDIUM	FRCO*D*-FE4S+PE6M+F	x	x	x
	6	20	4	FINE	FRCO*D*-FE4S+PE6F+F	x	x	x
6	7	20	4	MEDIUM	FRCO*D*-FE4S+PE7M+F	x	x	x
	7	20	4	FINE	FRCO*D*-FE4S+PE7F+F	x	x	x
8	10	20	4	MEDIUM	FRCO*D*-FE4S+PE10M+F	x	x	x
	10	20	4	FINE	FRCO*D*-FE4S+PE10F+F	x	x	x
10	12	20	4	MEDIUM	FRCO*D*-FE4S+PE12M+F	x	x	x
	12	20	4	FINE	FRCO*D*-FE4S+PE12F+F	x	x	x
12	14	20	4	MEDIUM	FRCO*D*-FE4S+PE14M+F	x	x	x
	14	20	4	FINE	FRCO*D*-FE4S+PE14F+F	x	x	x
15	17	20	4	MEDIUM	FRCO*D*-FE4S+PE17M+F	x	x	x
	17	20	4	FINE	FRCO*D*-FE4S+PE17F+F	x	x	x
19	21	20	4	MEDIUM	FRCO*D*-FE4S+PE21M+F	x	x	x
	21	20	4	FINE	FRCO*D*-FE4S+PE21F+F	x	x	x

QUALITY &
PERFORMANCE


bovonediamond.com

«COMBI» TRAPEZOIDAL ROUTERS



GLASS	U	U1	L	N° SEGMENTS	GRIT	CODE	D		
							14	20	25
3	4	1	20	4	MEDIUM	FRCO*D*-FE4S+TR4/1M+F	×	×	×
	4	1	20	4	FINE	FRCO*D*-FE4S+TR4/1F+F	×	×	×
4	6	2	20	4	MEDIUM	FRCO*D*-FE4S+TR6/2M+F	×	×	×
	6	2	20	4	FINE	FRCO*D*-FE4S+TR6/2F+F	×	×	×
5	7	3	20	4	MEDIUM	FRCO*D*-FE4S+TR7/3M+F	×	×	×
	7	3	20	4	FINE	FRCO*D*-FE4S+TR7/3F+F	×	×	×
6	8	4	20	4	MEDIUM	FRCO*D*-FE4S+TR8/4M+F	×	×	×
	8	4	20	4	FINE	FRCO*D*-FE4S+TR8/4F+F	×	×	×
8	9	5	20	4	MEDIUM	FRCO*D*-FE4S+TR9/5M+F	×	×	×
	9	5	20	4	FINE	FRCO*D*-FE4S+TR9/5F+F	×	×	×
10	11	7	20	4	MEDIUM	FRCO*D*-FE4S+TR11/7M+F	×	×	×
	11	7	20	4	FINE	FRCO*D*-FE4S+TR11/7F+F	×	×	×
12	13	9	20	4	MEDIUM	FRCO*D*-FE4S+TR13/9M+F	×	×	×
	13	9	20	4	FINE	FRCO*D*-FE4S+TR13/9F+F	×	×	×
15	16	12	20	4	MEDIUM	FRCO*D*-FE4S+TR16/12M+F	×	×	×
	16	12	20	4	FINE	FRCO*D*-FE4S+TR16/12F+F	×	×	×
19	20	16	20	4	MEDIUM	FRCO*D*-FE4S+TR20/16M+F	×	×	×
	20	16	20	4	FINE	FRCO*D*-FE4S+TR20/16F+F	×	×	×

ROUTERS for «FORVET CHIARA»




D	N° SEGMENTS	L	CODE
8	3	25	FR20-8-3S-H105
10	3	25	FR20-10-3S-H105
12	3	25	FR20-12-3S-H105
14	3	25	FR20-14-3S-H105
16	4	25	FR20-16-4S-H105
20	4	25	FR20-20-4S-H105
20	6	25	FR20-20-6S-H105
22	4	25	FR20-22-4S-H105
22	6	25	FR20-22-6S-H105
TYPE GOLDNET			
D	N° SEGMENTS	L	CODE
12		25	FR20-12-GN-H105
14		25	FR20-14-GN-H105
16		25	FR20-16-GN-H105
20		25	FR20-20-GN-H105

QUALITY &
PERFORMANCE


bovonediamond.com

PENCIL EDGE ROUTERS for «FORVET CHIARA»



GLASS	U	GRIT	CODE	D			
				10	15	20	25
3	4	MEDIUM	FRPE*D*-H4M105+F	x	x	x	x
	4	FINE	FRPE*D*-H4F105+F	x	x	x	x
4	5	MEDIUM	FRPE*D*-H5M105+F	x	x	x	x
	5	FINE	FRPE*D*-H5F105+F	x	x	x	x
5	6	MEDIUM	FRPE*D*-H6M105+F	x	x	x	x
	6	FINE	FRPE*D*-H6F105+F	x	x	x	x
6	7	MEDIUM	FRPE*D*-H7M105+F	x	x	x	x
	7	FINE	FRPE*D*-H7F105+F	x	x	x	x
8	10	MEDIUM	FRPE*D*-H10M105+F	x	x	x	x
	10	FINE	FRPE*D*-H10F105+F	x	x	x	x
10	12	MEDIUM	FRPE*D*-H12M105+F	x	x	x	x
	12	FINE	FRPE*D*-H12F105+F	x	x	x	x
12	14	MEDIUM	FRPE*D*-H14M105+F		x	x	x
	14	FINE	FRPE*D*-H14F105+F		x	x	x
15	17	MEDIUM	FRPE*D*-H17M105+F		x	x	x
	17	FINE	FRPE*D*-H17F105+F		x	x	x
19	21	MEDIUM	FRPE*D*-H21M105+F		x	x	x
	21	FINE	FRPE*D*-H21F105+F		x	x	x

TRAPEZOIDAL ROUTERS for «FORVET CHIARA»



GLASS	U	U1	GRIT	CODE	D			
					10	15	20	25
3	4	1	MEDIUM	FRTR*D*-H4/1M105+F	x	x	x	x
	4	1	FINE	FRTR*D*-H4/1F105+F	x	x	x	x
4	6	2	MEDIUM	FRTR*D*-H6/2M105+F	x	x	x	x
	6	2	FINE	FRTR*D*-H6/2F105+F	x	x	x	x
5	7	3	MEDIUM	FRTR*D*-H7/3M105+F	x	x	x	x
	7	3	FINE	FRTR*D*-H7/3F105+F	x	x	x	x
6	8	4	MEDIUM	FRTR*D*-H8/4M105+F	x	x	x	x
	8	4	FINE	FRTR*D*-H8/4F105+F	x	x	x	x
8	9	5	MEDIUM	FRTR*D*-H9/5M105+F	x	x	x	x
	9	5	FINE	FRTR*D*-H9/5F105+F	x	x	x	x
10	11	7	MEDIUM	FRTR*D*-H11/7M105+F	x	x	x	x
	11	7	FINE	FRTR*D*-H11/7F105+F	x	x	x	x
12	13	9	MEDIUM	FRTR*D*-H13/9M105+F		x	x	x
	13	9	FINE	FRTR*D*-H13/9F105+F		x	x	x
15	16	12	MEDIUM	FRTR*D*-H16/12M105+F		x	x	x
	16	12	FINE	FRTR*D*-H16/12F105+F		x	x	x
19	20	16	MEDIUM	FRTR*D*-H20/16M105+F		x	x	x
	20	16	FINE	FRTR*D*-H20/16F105+F		x	x	x

QUALITY &
PERFORMANCE

bovonediamond.com




ARRISSING WHEELS

QUALITY &
PERFORMANCE

bovonediamond.com

ARRISSING WHEELS



GLASS	GRIT	D	
		150	200
10	SEGMENTED*	x	x
	ROUGH	x	x
	MEDIUM	x	x
	FINE	x	x
12	SEGMENTED*	x	x
	ROUGH	x	x
	MEDIUM	x	x
	FINE	x	x
15	SEGMENTED*	x	x
	ROUGH	x	x
	MEDIUM	x	x
	FINE	x	x
19	SEGMENTED*	x	x
	ROUGH	x	x
	MEDIUM	x	x
	FINE	x	x

*FLAT SHAPE SEGMENTED WHEEL

QUALITY &
PERFORMANCE

bovonediamond.com




CNC WHEELS

QUALITY &
PERFORMANCE

bovonediamond.com

FLAT WHEELS




GLASS	U	GRIT	CODE	D				
				25	50	100	120	150
3	5	ROUGH	FE*D*-H5R+F	x	x	x	x	x
	5	MEDIUM	FE*D*-H5M+F	x	x	x	x	x
	5	FINE	FE*D*-H5F+F	x	x	x	x	x
4	6	SEGMENTED	FE*D*-H6S+F	x	x	x	x	x
	6	ROUGH	FE*D*-H6R+F	x	x	x	x	x
	6	MEDIUM	FE*D*-H6M+F	x	x	x	x	x
	6	FINE	FE*D*-H6F+F	x	x	x	x	x
5	7	SEGMENTED	FE*D*-H7S+F	x	x	x	x	x
	7	ROUGH	FE*D*-H7R+F	x	x	x	x	x
	7	MEDIUM	FE*D*-H7M+F	x	x	x	x	x
	7	FINE	FE*D*-H7F+F	x	x	x	x	x
6	8	SEGMENTED	FE*D*-H8S+F	x	x	x	x	x
	8	ROUGH	FE*D*-H8R+F	x	x	x	x	x
	8	MEDIUM	FE*D*-H8M+F	x	x	x	x	x
	8	FINE	FE*D*-H8F+F	x	x	x	x	x
8	10	SEGMENTED	FE*D*-H10S+F	x	x	x	x	x
	10	ROUGH	FE*D*-H10R+F	x	x	x	x	x
	10	MEDIUM	FE*D*-H10M+F	x	x	x	x	x
	10	FINE	FE*D*-H10F+F	x	x	x	x	x
10	12	SEGMENTED	FE*D*-H12S+F	x	x	x	x	x
	12	ROUGH	FE*D*-H12R+F	x	x	x	x	x
	12	MEDIUM	FE*D*-H12M+F	x	x	x	x	x
	12	FINE	FE*D*-H12F+F	x	x	x	x	x

QUALITY &
PERFORMANCE


bovonediamond.com

FLAT WHEELS



GLASS	U	GRIT	CODE	D				
				25	50	100	120	150
12	14	SEGMENTED	FE*D*-H14S+F	x	x	x	x	x
	14	ROUGH	FE*D*-H14R+F	x	x	x	x	x
	14	MEDIUM	FE*D*-H14M+F	x	x	x	x	x
	14	FINE	FE*D*-H14F+F	x	x	x	x	x
15	17	SEGMENTED	FE*D*-H17S+F	x	x	x	x	x
	17	ROUGH	FE*D*-H17R+F	x	x	x	x	x
	17	MEDIUM	FE*D*-H17M+F	x	x	x	x	x
	17	FINE	FE*D*-H17F+F	x	x	x	x	x
19	22	SEGMENTED	FE*D*-H22S+F	x	x	x	x	x
	22	ROUGH	FE*D*-H22R+F	x	x	x	x	x
	22	MEDIUM	FE*D*-H22M+F	x	x	x	x	x
	22	FINE	FE*D*-H22F+F	x	x	x	x	x
25	28	SEGMENTED	FE*D*-H28S+F	x	x	x	x	x
	28	ROUGH	FE*D*-H28R+F	x	x	x	x	x
	28	MEDIUM	FE*D*-H28M+F	x	x	x	x	x
	28	FINE	FE*D*-H28F+F	x	x	x	x	x
VARIOUS	35	SEGMENTED	FE*D*-H35S+F	x	x	x	x	x
	35	ROUGH	FE*D*-H35R+F	x	x	x	x	x
	35	MEDIUM	FE*D*-H35M+F	x	x	x	x	x
	35	FINE	FE*D*-H35F+F	x	x	x	x	x

PENCIL EDGE WHEELS




GLASS	U	GRIT	CODE	D				
				25	50	100	120	150
3	4	ROUGH	PE*D*-H4R+F	x	x	x	x	x
	4	MEDIUM	PE*D*-H4M+F	x	x	x	x	x
	4	FINE	PE*D*-H4F+F	x	x	x	x	x
4	5	ROUGH	PE*D*-H5R+F	x	x	x	x	x
	5	MEDIUM	PE*D*-H5M+F	x	x	x	x	x
	5	FINE	PE*D*-H5F+F	x	x	x	x	x
5	6	ROUGH	PE*D*-H6R+F	x	x	x	x	x
	6	MEDIUM	PE*D*-H6M+F	x	x	x	x	x
	6	FINE	PE*D*-H6F+F	x	x	x	x	x
6	7	ROUGH	PE*D*-H7R+F	x	x	x	x	x
	7	MEDIUM	PE*D*-H7M+F	x	x	x	x	x
	7	FINE	PE*D*-H7F+F	x	x	x	x	x
8	10	SEGMENTED	PE*D*-H10S+F	x	x	x	x	x
	10	ROUGH	PE*D*-H10R+F	x	x	x	x	x
	10	MEDIUM	PE*D*-H10M+F	x	x	x	x	x
	10	FINE	PE*D*-H10F+F	x	x	x	x	x
10	12	SEGMENTED	PE*D*-H12S+F	x	x	x	x	x
	12	ROUGH	PE*D*-H12R+F	x	x	x	x	x
	12	MEDIUM	PE*D*-H12M+F	x	x	x	x	x
	12	FINE	PE*D*-H12F+F	x	x	x	x	x
12	14	SEGMENTED	PE*D*-H14S+F	x	x	x	x	x
	14	ROUGH	PE*D*-H14R+F	x	x	x	x	x
	14	MEDIUM	PE*D*-H14M+F	x	x	x	x	x
	14	FINE	PE*D*-H14F+F	x	x	x	x	x
15	17	SEGMENTED	PE*D*-H17S+F	x	x	x	x	x
	17	ROUGH	PE*D*-H17R+F	x	x	x	x	x
	17	MEDIUM	PE*D*-H17M+F	x	x	x	x	x
	17	FINE	PE*D*-H17F+F	x	x	x	x	x
19	21	SEGMENTED	PE*D*-H21S+F	x	x	x	x	x
	21	ROUGH	PE*D*-H21R+F	x	x	x	x	x
	21	MEDIUM	PE*D*-H21M+F	x	x	x	x	x
	21	FINE	PE*D*-H21F+F	x	x	x	x	x
25	27	SEGMENTED	PE*D*-H27S+F	x	x	x	x	x
	27	ROUGH	PE*D*-H27R+F	x	x	x	x	x
	27	MEDIUM	PE*D*-H27M+F	x	x	x	x	x
	27	FINE	PE*D*-H27F+F	x	x	x	x	x

QUALITY &
PERFORMANCE


bovonediamond.com

TRAPEZOIDAL WHEELS



GLASS	U	GRIT	CODE	D				
				25	50	100	120	150
3	5/1	ROUGH	TR*D*-H5/1R+F	x	x	x	x	x
	5/1	MEDIUM	TR*D*-H5/1M+F	x	x	x	x	x
	5/1	FINE	TR*D*-H5/1F+F	x	x	x	x	x
4	6/2	ROUGH	TR*D*-H6/2R+F	x	x	x	x	x
	6/2	MEDIUM	TR*D*-H6/2M+F	x	x	x	x	x
	6/2	FINE	TR*D*-H6/2F+F	x	x	x	x	x
5	7/3	ROUGH	TR*D*-H7/3R+F	x	x	x	x	x
	7/3	MEDIUM	TR*D*-H7/3M+F	x	x	x	x	x
	7/3	FINE	TR*D*-H7/3F+F	x	x	x	x	x
6	8/4	ROUGH	TR*D*-H8/4R+F	x	x	x	x	x
	8/4	MEDIUM	TR*D*-H8/4M+F	x	x	x	x	x
	8/4	FINE	TR*D*-H8/4F+F	x	x	x	x	x
8	10/5	ROUGH	TR*D*-H10/5R+F	x	x	x	x	x
	10/5	MEDIUM	TR*D*-H10/5M+F	x	x	x	x	x
	10/5	FINE	TR*D*-H10/5F+F	x	x	x	x	x
10	12/7	ROUGH	TR*D*-H12/7R+F	x	x	x	x	x
	12/7	MEDIUM	TR*D*-H12/7M+F	x	x	x	x	x
	12/7	FINE	TR*D*-H12/7F+F	x	x	x	x	x
12	14/9	ROUGH	TR*D*-H14/9R+F	x	x	x	x	x
	14/9	MEDIUM	TR*D*-H14/9M+F	x	x	x	x	x
	14/9	FINE	TR*D*-H14/9F+F	x	x	x	x	x
15	17/12	ROUGH	TR*D*-H17/12R+F	x	x	x	x	x
	17/12	MEDIUM	TR*D*-H17/12M+F	x	x	x	x	x
	17/12	FINE	TR*D*-H17/12F+F	x	x	x	x	x
19	21/16	ROUGH	TR*D*-H21/16R+F	x	x	x	x	x
	21/16	MEDIUM	TR*D*-H21/16M+F	x	x	x	x	x
	21/16	FINE	TR*D*-H21/16F+F	x	x	x	x	x
25	26/21	ROUGH	TR*D*-H26/21R+F	x	x	x	x	x
	26/21	MEDIUM	TR*D*-H26/21M+F	x	x	x	x	x
	26/21	FINE	TR*D*-H26/21F+F	x	x	x	x	x

BULL NOSE WHEELS




GLASS	U	R	GRIT	CODE	D		
					100	120	150
4	5	2,5	SEGMENTED	BN*D*-H5S+F	x	x	x
	5	2,5	ROUGH	BN*D*-H5R+F	x	x	x
	5	2,5	MEDIUM	BN*D*-H5M+F	x	x	x
	5	2,5	FINE	BN*D*-H5F+F	x	x	x
5	6	3	SEGMENTED	BN*D*-H6S+F	x	x	x
	6	3	ROUGH	BN*D*-H6R+F	x	x	x
	6	3	MEDIUM	BN*D*-H6M+F	x	x	x
	6	3	FINE	BN*D*-H6F+F	x	x	x
6	7	3,5	SEGMENTED	BN*D*-H7S+F	x	x	x
	7	3,5	ROUGH	BN*D*-H7R+F	x	x	x
	7	3,5	MEDIUM	BN*D*-H7M+F	x	x	x
	7	3,5	FINE	BN*D*-H7F+F	x	x	x
8	9	4,5	SEGMENTED	BN*D*-H9S+F	x	x	x
	9	4,5	ROUGH	BN*D*-H9R+F	x	x	x
	9	4,5	MEDIUM	BN*D*-H9M+F	x	x	x
	9	4,5	FINE	BN*D*-H9F+F	x	x	x
10	11	5,5	SEGMENTED	BN*D*-H11S+F	x	x	x
	11	5,5	ROUGH	BN*D*-H11R+F	x	x	x
	11	5,5	MEDIUM	BN*D*-H11M+F	x	x	x
	11	5,5	FINE	BN*D*-H11F+F	x	x	x
12	13	6,5	SEGMENTED	BN*D*-H13S+F	x	x	x
	13	6,5	ROUGH	BN*D*-H13R+F	x	x	x
	13	6,5	MEDIUM	BN*D*-H13M+F	x	x	x
	13	6,5	FINE	BN*D*-H13F+F	x	x	x
15	16	8	SEGMENTED	BN*D*-H16S+F	x	x	x
	16	8	ROUGH	BN*D*-H16R+F	x	x	x
	16	8	MEDIUM	BN*D*-H16M+F	x	x	x
	16	8	FINE	BN*D*-H16F+F	x	x	x
19	21	10,5	SEGMENTED	BN*D*-H21S+F	x	x	x
	21	10,5	ROUGH	BN*D*-H21R+F	x	x	x
	21	10,5	MEDIUM	BN*D*-H21M+F	x	x	x
	21	10,5	FINE	BN*D*-H21F+F	x	x	x
25	27	13,5	SEGMENTED	BN*D*-H27S+F	x	x	x
	27	13,5	ROUGH	BN*D*-H27R+F	x	x	x
	27	13,5	MEDIUM	BN*D*-H27M+F	x	x	x
	27	13,5	FINE	BN*D*-H27F+F	x	x	x

QUALITY &
PERFORMANCE


bovonediamond.com

45° WHEELS



GLASS	U	GRIT	CODE	D		
				100	120	150
10	12	SEGMENTED	45°*D*-H12S+F	x	x	x
	12	ROUGH	45°*D*-H12R+F	x	x	x
	12	MEDIUM	45°*D*-H12M+F	x	x	x
	12	FINE	45°*D*-H12F+F	x	x	x
12	14	SEGMENTED	45°*D*-H14S+F	x	x	x
	14	ROUGH	45°*D*-H14R+F	x	x	x
	14	MEDIUM	45°*D*-H14M+F	x	x	x
	14	FINE	45°*D*-H14F+F	x	x	x
15	17	SEGMENTED	45°*D*-H17S+F	x	x	x
	17	ROUGH	45°*D*-H17R+F	x	x	x
	17	MEDIUM	45°*D*-H17M+F	x	x	x
	17	FINE	45°*D*-H17F+F	x	x	x
19	22	SEGMENTED	45°*D*-H22S+F	x	x	x
	22	ROUGH	45°*D*-H22R+F	x	x	x
	22	MEDIUM	45°*D*-H22M+F	x	x	x
	22	FINE	45°*D*-H22F+F	x	x	x
25	28	SEGMENTED	45°*D*-H28S+F	x	x	x
	28	ROUGH	45°*D*-H28R+F	x	x	x
	28	MEDIUM	45°*D*-H28M+F	x	x	x
	28	FINE	45°*D*-H28F+F	x	x	x

WATER FALL WHEELS




GLASS	U	R	GRIT	CODE	D		
					100	120	150
8	9	4,5	SEGMENTED	WF*D*-H9S	x	x	x
	9	4,5	ROUGH	WF*D*-H9R	x	x	x
	9	4,5	MEDIUM	WF*D*-H9M	x	x	x
	9	4,5	FINE	WF*D*-H9F	x	x	x
10	11	5,5	SEGMENTED	WF*D*-H11S	x	x	x
	11	5,5	ROUGH	WF*D*-H11R	x	x	x
	11	5,5	MEDIUM	WF*D*-H11M	x	x	x
	11	5,5	FINE	WF*D*-H11F	x	x	x
12	13	6,5	SEGMENTED	WF*D*-H13S	x	x	x
	13	6,5	ROUGH	WF*D*-H13R	x	x	x
	13	6,5	MEDIUM	WF*D*-H13M	x	x	x
	13	6,5	FINE	WF*D*-H13F	x	x	x
15	17	8	SEGMENTED	WF*D*-H17S	x	x	x
	17	8	ROUGH	WF*D*-H17R	x	x	x
	17	8	MEDIUM	WF*D*-H17M	x	x	x
	17	8	FINE	WF*D*-H17F	x	x	x
19	21	10,5	SEGMENTED	WF*D*-H21S	x	x	x
	21	10,5	ROUGH	WF*D*-H21R	x	x	x
	21	10,5	MEDIUM	WF*D*-H21M	x	x	x
	21	10,5	FINE	WF*D*-H21F	x	x	x
25	27	13,5	SEGMENTED	WF*D*-H27S	x	x	x
	27	13,5	ROUGH	WF*D*-H27R	x	x	x
	27	13,5	MEDIUM	WF*D*-H27M	x	x	x
	27	13,5	FINE	WF*D*-H27F	x	x	x

QUALITY &
PERFORMANCE

bovonediamond.com

WATER FALL+ARRIS WHEELS




GLASS	U	R	GRIT	CODE	D		
					100	120	150
8	9	4,5	SEGMENTED	WA*D*-H9S	x	x	x
	9	4,5	ROUGH	WA*D*-H9R	x	x	x
	9	4,5	MEDIUM	WA*D*-H9M	x	x	x
	9	4,5	FINE	WA*D*-H9F	x	x	x
10	11	5,5	SEGMENTED	WA*D*-H11S	x	x	x
	11	5,5	ROUGH	WA*D*-H11R	x	x	x
	11	5,5	MEDIUM	WA*D*-H11M	x	x	x
	11	5,5	FINE	WA*D*-H11F	x	x	x
12	13	6,5	SEGMENTED	WA*D*-H13S	x	x	x
	13	6,5	ROUGH	WA*D*-H13R	x	x	x
	13	6,5	MEDIUM	WA*D*-H13M	x	x	x
	13	6,5	FINE	WA*D*-H13F	x	x	x
15	17	8	SEGMENTED	WA*D*-H17S	x	x	x
	17	8	ROUGH	WA*D*-H17R	x	x	x
	17	8	MEDIUM	WA*D*-H17M	x	x	x
	17	8	FINE	WA*D*-H17F	x	x	x
19	21	10,5	SEGMENTED	WA*D*-H21S	x	x	x
	21	10,5	ROUGH	WA*D*-H21R	x	x	x
	21	10,5	MEDIUM	WA*D*-H21M	x	x	x
	21	10,5	FINE	WA*D*-H21F	x	x	x
25	27	13,5	SEGMENTED	WA*D*-H27S	x	x	x
	27	13,5	ROUGH	WA*D*-H27R	x	x	x
	27	13,5	MEDIUM	WA*D*-H27M	x	x	x
	27	13,5	FINE	WA*D*-H27F	x	x	x

QUALITY &
PERFORMANCE

bovonediamond.com

OG WHEELS




GLASS	U	GRIT	CODE	D		
				100	120	150
8	10	SEGMENTED	45°D*-H10S	x	x	x
	9	ROUGH	OG*D*-H9R	x	x	x
	9	MEDIUM	OG*D*-H9M	x	x	x
	9	FINE	OG*D*-H9F	x	x	x
10	12	SEGMENTED	45°D*-H12S	x	x	x
	11	ROUGH	OG*D*-H11R	x	x	x
	11	MEDIUM	OG*D*-H11M	x	x	x
	11	FINE	OG*D*-H11F	x	x	x
12	14	SEGMENTED	45°D*-H14S	x	x	x
	13	ROUGH	OG*D*-H13R	x	x	x
	13	MEDIUM	OG*D*-H13M	x	x	x
	13	FINE	OG*D*-H13F	x	x	x
15	18	SEGMENTED	45°D*-H18S	x	x	x
	17	ROUGH	OG*D*-H17R	x	x	x
	17	MEDIUM	OG*D*-H17M	x	x	x
	17	FINE	OG*D*-H17F	x	x	x
19	22	SEGMENTED	45°D*-H22S	x	x	x
	21	ROUGH	OG*D*-H21R	x	x	x
	21	MEDIUM	OG*D*-H21M	x	x	x
	21	FINE	OG*D*-H21F	x	x	x
25	28	SEGMENTED	45°D*-H28S	x	x	x
	27	ROUGH	OG*D*-H27R	x	x	x
	27	MEDIUM	OG*D*-H27M	x	x	x
	27	FINE	OG*D*-H27F	x	x	x

QUALITY &
PERFORMANCE


bovonediamond.com

DOUBLE PENCIL WHEELS




GLASS	U	GRIT	CODE	D		
				100	120	150
8	10	SEGMENTED	45°D*-H10S	x	x	x
	9	ROUGH	DP*D*-H9R	x	x	x
	9	MEDIUM	DP*D*-H9M	x	x	x
	9	FINE	DP*D*-H9F	x	x	x
10	12	SEGMENTED	45°D*-H12S	x	x	x
	11	ROUGH	DP*D*-H11R	x	x	x
	11	MEDIUM	DP*D*-H11M	x	x	x
	11	FINE	DP*D*-H11F	x	x	x
12	14	SEGMENTED	45°D*-H14S	x	x	x
	13	ROUGH	DP*D*-H13R	x	x	x
	13	MEDIUM	DP*D*-H13M	x	x	x
	13	FINE	DP*D*-H13F	x	x	x
15	18	SEGMENTED	45°D*-H18S	x	x	x
	17	ROUGH	DP*D*-H17R	x	x	x
	17	MEDIUM	DP*D*-H17M	x	x	x
	17	FINE	DP*D*-H17F	x	x	x
19	22	SEGMENTED	45°D*-H22S	x	x	x
	21	ROUGH	DP*D*-H21R	x	x	x
	21	MEDIUM	DP*D*-H21M	x	x	x
	21	FINE	DP*D*-H21F	x	x	x

TRIPLE PENCIL WHEELS




GLASS	U	GRIT	CODE	D		
				100	120	150
8	10	SEGMENTED	45°*D*-H10S	x	x	x
	9	ROUGH	TP*D*-H9R	x	x	x
	9	MEDIUM	TP*D*-H9M	x	x	x
	9	FINE	TP*D*-H9F	x	x	x
10	12	SEGMENTED	45°*D*-H12S	x	x	x
	11	ROUGH	TP*D*-H11R	x	x	x
	11	MEDIUM	TP*D*-H11M	x	x	x
	11	FINE	TP*D*-H11F	x	x	x
12	14	SEGMENTED	45°*D*-H14S	x	x	x
	13	ROUGH	TP*D*-H13R	x	x	x
	13	MEDIUM	TP*D*-H13M	x	x	x
	13	FINE	TP*D*-H13F	x	x	x
15	18	SEGMENTED	45°*D*-H18S	x	x	x
	17	ROUGH	TP*D*-H17R	x	x	x
	17	MEDIUM	TP*D*-H17M	x	x	x
	17	FINE	TP*D*-H17F	x	x	x
19	22	SEGMENTED	45°*D*-H22S	x	x	x
	21	ROUGH	TP*D*-H21R	x	x	x
	21	MEDIUM	TP*D*-H21M	x	x	x
	21	FINE	TP*D*-H21F	x	x	x

«V» GROOVING WHEELS



U	V°	CODE	D	
			140	150
4	156	IN*D*V-4	×	×
5	156	IN*D*V-5	×	×
6	156	IN*D*V-6	×	×
7	156	IN*D*V-7	×	×
8	156	IN*D*V-8	×	×
10	156	IN*D*V-10	×	×
12	156	IN*D*V-12	×	×
15	156	IN*D*V-15	×	×
20	156	IN*D*V-20	×	×
25	156	IN*D*V-25	×	×
30	156	IN*D*V-30	×	×
40	156	IN*D*V-40	×	×

«U» GROOVING WHEELS




U	CODE	D	
		140	150
4	IN*D*U-4	x	x
5	IN*D*U-5	x	x
6	IN*D*U-6	x	x
7	IN*D*U-7	x	x
8	IN*D*U-8	x	x
10	IN*D*U-10	x	x
12	IN*D*U-12	x	x
15	IN*D*U-15	x	x
20	IN*D*U-20	x	x
25	IN*D*U-25	x	x
30	IN*D*U-30	x	x
40	IN*D*U-40	x	x

QUALITY &
PERFORMANCE

bovonediamond.com

«OC» GROOVING WHEELS



U	CODE	D	
		140	150
10	IN*D*OC-10	x	x
12	IN*D*OC-12	x	x
15	IN*D*OC-15	x	x
16	IN*D*OC-16	x	x
19	IN*D*OC-19	x	x
20	IN*D*OC-20	x	x
23	IN*D*OC-23	x	x
25	IN*D*OC-25	x	x
27	IN*D*OC-27	x	x
30	IN*D*OC-30	x	x



HIGH SPEED TOOLS

ROUTERS		VARIOUS DIAMETERS	Speed 0,75÷1,5m/min RPM 12.000
ROUTERS for FORVET		VARIOUS DIAMETERS	Speed 0,75÷1,5m/min RPM 12.000
SEGMENTED FLAT WHEEL		VARIOUS DIAMETERS	Speed 10m/min RPM 7.500
TRAPEZOIDAL WHEEL		VARIOUS DIAMETERS	Speed 8m/min RPM 7.500





CORE DRILLS

QUALITY &
PERFORMANCE

bovonediamond.com

Standard Core Drills

	Diameter		Length	Code
	From	To		
	3	220	75	2FN0*D*L75
	3	220	95	2FN0*D*L95
Sample code D10 L75: 2FN0*D*L75 is 2FN0010L75				

Countersink Core Drills

	Diameter		Length	Code
	From	To		
	4	102	75	2FS0*D*L75
	4	102	95	2FS0*D*L95

Countersink SS Core Drills

	Diameter		Length	Code
	From	To		
	8	102	75	2FS0*D*L75CS
	8	102	95	2FS0*D*L95CS

Standard Core Drills

	Diameter		Length	Code
	From	To		
	3	220	75	2FN0*D*L75
	3	220	95	2FN0*D*L95
Sample code D10 L75: 2FN0*D*L75 is 2FN0010L75				

Countersink Core Drills

	Diameter		Length	Code
	From	To		
	4	102	75	2FS0*D*L75
	4	102	95	2FS0*D*L95

Countersink SS Core Drills

	Diameter		Length	Code
	From	To		
	8	102	75	2FS0*D*L75CS
	8	102	95	2FS0*D*L95CS

Countersinks

	Diameter		Length	Code
	From	To		
	0-10	0-50	75	2FS0*D*L75WP
	0-10	0-50	95	2FS0*D*L95WP

	Diameter		Length	Code
	From	To		
	0-35	0-60	75	2FS0*D*L75WPCT
	0-35	0-60	95	2FS0*D*L95WPCT

	Diameter		Length	Code
	From	To		
	18-55	80-110	75	2FS0*D/D*L75WP
	18-55	80-110	95	2FS0*D/D*L95WP

QUALITY &
PERFORMANCE

bovonediamond.com

Core Drills for CNC machines

	Diameter		Length	Code
	From	To		
	3	220	75	2FF0*D*L75
	3	220	95	2FF0*D*L95

“High Speed Core Drills”

	Diameter		Length	Code
	From	To		
	5	70	75	2FN0*D*L75AV
	5	70	95	2FN0*D*L95AV

With Countersink

	Diameter		Length	Code
	From	To		
	5	70	75	2FS0*D*L75AV
	5	70	95	2FS0*D*L95AV



NOTES



Infoline
+39 0143 83 57 96



BOVONEDIAMONDTOOLS

Via Voltri 78 – 15076 Ovada (AL) Italy

tel. +39 0143 83 57 96

fax +39 0143 83 57 97

info@bovonediamond.com

www.bovonediamond.com

**QUALITY &
PERFORMANCE**

JOINED FOR EXCELLENCE



STAINLESS QUALITY AND GOLD PERFORMANCE